


CA S

Polyester/polycarbonate Modular Enclosures with Opaque Lid

Reinforced polyester modular enclosures in RAL7035.

Features and Benefits

- Self extinguishing material
- Resistant against rusting and corrosion by chemical or atmospheric agents
- For indoor or outdoor use
- Maximum working temperature -30°C to 120°C
- IK10



Modular Enclosure with Opaque Lid.

TYPE	Height mm	Width mm	Depth mm	IP Rating	Pack Cont.
CA1515S	135	135	130	IP66	1
CA215S	135	180	130	IP66	1
CA220S	180	180	130	IP66	1
CA315S	135	270	130	IP66	1
CA32S	180	270	170	IP66	1
CA33S	270	270	170	IP66	1
CA42S	180	360	170	IP66	1
CA43S	270	360	170	IP66	1
CA43AS	270	360	205	IP66	1
CA44S	360	360	170	IP66	1
CA44AS	360	360	205	IP66	1
CA63S	270	540	170	IP66	1
CA63AS	270	540	205	IP66	1
CA64S	360	540	170	IP66	1
CA64AS	360	540	205	IP66	1
CA66S	540	540	170	IP66	1
CA66AS	540	540	205	IP66	1
CA84AS	360	720	205	IP66	1
CA86AS	540	720	205	IP66	1



CA

Polyester/polycarbonate Modular Enclosures with Clear Lid

Reinforced polyester base in RAL7035, with polycarbonate clear lid.

Features and Benefits

- Self extinguishing material
- Resistant against rusting and corrosion by chemical or atmospheric agents.
- For indoor or outdoor use
- Maximum working temperature -30°C to 120°C
- IK10




Modular Enclosure with Clear Lid.

TYPE	Height mm	Width mm	Depth mm	IP Rating	Pack Cont.
CA1515	135	135	130	IP66	1
CA215	135	180	130	IP66	1
CA220	180	180	130	IP66	1
CA315	135	270	130	IP66	1
CA32	180	270	170	IP66	1
CA33	270	270	170	IP66	1
CA42	180	360	170	IP66	1
CA43	270	360	170	IP66	1
CA43A	270	360	205	IP66	1
CA44	360	360	170	IP66	1
CA44A	360	360	205	IP66	1
CA63	270	540	170	IP66	1
CA63A	270	540	205	IP66	1
CA64	360	540	170	IP66	1
CA64A	360	540	205	IP66	1
CA66	540	540	170	IP66	1
CA66A	540	540	205	IP66	1
CA84A	360	720	205	IP66	1
CA86A	540	720	205	IP66	1



The CA range can be fully customised to meet your requirements MOQ may apply



PP

Polyester Mounting Plates to suit CA and CA S Enclosures

A range of polyester mounting plates for use with the CA/CA S range of enclosures.



Polyester Mounting Plate.

TYPE	Height mm	Width mm	Pack Cont.
PP1515	135	135	1
PP215	180	135	1
PP220	180	180	1
PP315	270	135	1
PP32	270	180	1
PP33	270	270	1
PP42	360	180	1
PP43	360	270	1
PP44	360	360	1
PP63	540	270	1
PP64	540	360	1
PP66	540	540	1
PP84	720	360	1
PP86	720	520	1

OFC


Wall Fixing Brackets to suit CA Enclosures

Brackets to secure enclosures to a wall or similar surface. Suitable for all enclosures.



Wall Fixing Bracket.

TYPE	To fit Enclosures	Pack Cont.
OFC400	CA32 to CA86	Set of 4
OFC4000	CA1515 to CA315	Set of 4

**BOBRE****External Hinges to suit CA Enclosures**

External hinge used to adapt the CA range of modular enclosures from loose lid to hinged lid.



External Hinges.

TYPE	For use with	Pack Cont.
BOBREEXT	CA32 to CA86A	Set of 2