



An **Expanded** Range of Connectivity *Solutions* for you..



HellermannTyton

www.hellermanntyton.co.uk

Pre-Insulated Light Duty Terminals

Sizes:

- Red Insulation 0.5-1.5mm²
- Blue Insulation 1.5-2.5mm²
- Yellow Insulation 4.0-6.0mm²
- Material: Copper Tin Plated.
Sleeve PVC
- Retail packaging
- RoHS
- UL certified
- Heat Shrink products available



Light Duty Terminals		Red Insulation	Blue Insulation	Yellow Insulation
Ring		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Fork		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Pin		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Flat Blade		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Hook Blade		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Butt		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Female Push On		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Male Push On		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Female fully insulated		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Push On Adaptor		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Male Bullet Connector		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²
Female Bullet Connector		0.5-1.5mm ² 1.5-2.5mm ² 4.0-6.0mm ²	1.5-2.5mm ² 4.0-6.0mm ²	4.0-6.0mm ²

* Full range of tooling available, please contact customer services



Copper Tube Terminals and Copper Tube Splices • HCT/HCBS Series

Suitable for the termination of cables and stud connectors and splices for joining cable together.

- Material: High conductivity copper BS EN12449
- Purity: >99.9%,
- Coating: Electro Tin-Plating to BS1872
- Terminals have flared (bell mouth) entry for ease of cable insertion
- Terminals have inspection holes to check that the cable is inserted properly before terminal is crimped to the cable.
- Range covers cable sizes from 6mm² to 300mm²
- Packed in polythene (PE) bags with Euro slot



HCT SERIES

Part No.	Part Name
HCT 001	6mm ² - 10mm ²
HCT 002	10mm ² - 16mm ²
HCT 003	16mm ² - 25mm ²
HCT 004	25mm ² - 35mm ²
HCT 005	35mm ² - 50mm ²
HCT 006	50mm ² - 70mm ²
HCT 007	70mm ² - 100mm ²
HCT 008	100mm ² - 150mm ²
HCT 009	150mm ² - 200mm ²
HCT 010	200mm ² - 300mm ²
HCT 011	6mm ² - 10mm ² (with eye)
HCT 012	10mm ² - 16mm ² (with eye)
HCT 013	16mm ² - 25mm ² (with eye)
HCT 014	25mm ² - 35mm ² (with eye)
HCT 015	35mm ² - 50mm ² (with eye)
HCT 016	50mm ² - 70mm ² (with eye)
HCT 017	70mm ² - 100mm ² (with eye)
HCT 018	100mm ² - 150mm ² (with eye)
HCT 019	150mm ² - 200mm ² (with eye)
HCT 020	200mm ² - 300mm ² (with eye)
HCT 021	6mm ² - 10mm ² (with eye and hole)
HCT 022	10mm ² - 16mm ² (with eye and hole)
HCT 023	16mm ² - 25mm ² (with eye and hole)
HCT 024	25mm ² - 35mm ² (with eye and hole)
HCT 025	35mm ² - 50mm ² (with eye and hole)
HCT 026	50mm ² - 70mm ² (with eye and hole)
HCT 027	70mm ² - 100mm ² (with eye and hole)
HCT 028	100mm ² - 150mm ² (with eye and hole)
HCT 029	150mm ² - 200mm ² (with eye and hole)
HCT 030	200mm ² - 300mm ² (with eye and hole)


HCBS SERIES

Part No.	Part Name
HCBS 001	6mm ² - 10mm ²
HCBS 002	10mm ² - 16mm ²
HCBS 003	16mm ² - 25mm ²
HCBS 004	25mm ² - 35mm ²
HCBS 005	35mm ² - 50mm ²
HCBS 006	50mm ² - 70mm ²
HCBS 007	70mm ² - 100mm ²
HCBS 008	100mm ² - 150mm ²
HCBS 009	150mm ² - 200mm ²
HCBS 010	200mm ² - 300mm ²
HCBS 011	6mm ² - 10mm ² (with eye)
HCBS 012	10mm ² - 16mm ² (with eye)
HCBS 013	16mm ² - 25mm ² (with eye)
HCBS 014	25mm ² - 35mm ² (with eye)
HCBS 015	35mm ² - 50mm ² (with eye)
HCBS 016	50mm ² - 70mm ² (with eye)
HCBS 017	70mm ² - 100mm ² (with eye)
HCBS 018	100mm ² - 150mm ² (with eye)
HCBS 019	150mm ² - 200mm ² (with eye)
HCBS 020	200mm ² - 300mm ² (with eye)




Full range of tooling also available


Crimping Tools - for insulated & Non insulated terminals




Ref	CrimpType	Crimp Range
7700	Pre-insulated Light Duty	0.5mm-6.0mm ²



Ref	CrimpType	Crimp Range
7702	Pre-insulated End Sleeves	0.5 - 4.0mm ²
7703	Pre-insulated End Sleeves	6,10,&16mm ²



Ref	CrimpType	Crimp Range
6095	Heavy Duty Copper Tube	10mm-95mm ²
60150	Heavy Duty Copper Tube	0mm-150mm ²



Ref	CrimpType	Crimp Range
770156	Non insulated terminals	0.5 -16mm ²

Pre-Insulated End Sleeve Terminals

A comprehensive range of pre-insulated end sleeve terminals available both French and German standard colour coding.

- 0.5 -6mm² cable size
- Material : Copper Tin Plated. Sleeve : Nylon PA66
- Retail packaging
- RoHS
- UL certified

Type	Reference	Cable Size	Colour	Pack Qty	
FRENCH COLOUR	CE005008	0.50mm x 8F	White	500	
	CE075008	0.75mm x 8F	Blue	500	
	CE010008	1.0mm x 8F	Red	500	
	CE015008	1.5mm x 8F	Black	500	
	CE025008	2.5mm x 8F	Grey	500	
	CE040010	4.0mm x 10F	Orange	500	
	CE060012	6.0mm x 12F	Green	100	
	CE100012	10mm x 12F	Brown	100	
	CE160012	16mm x 12F	Ivory	100	
	CE250016	25mm x 16F	Black	100	
	CE350016	35mm x 16F	Red	50	
	CE500020	50mm x 20F	Blue	50	
	GERMAN COLOUR	CE005008W	0.50mm x 8G	Orange	500
		CE075008W	0.75mm x 8G	White	500
CE010008W		1.0mm x 8G	Yellow	500	
CE015008W		1.5mm x 8G	Red	500	
CE25008W		2.5mm x 8G	Blue	500	
CE040010W		4.0mm x 10G	Grey	500	
CE060012W	6.0mm x 10G	Black	100		

630 PIECE TERMINAL KIT

- 0.5-6mm² cable diameter
- Colour coded pre-insulated popular sizes
- Quality steel carry box
- Cutting tool included
- Ratchet crimper included
- Cable Ties included



* Full range of tooling available, please contact customer services

UK: 01922 458 151 NI: 02890 775 005 Dublin: +353(0)1626 8267

Email: distribution@hellermannntyton.co.uk

www.hellermannntyton.co.uk

